



## EOS TAPPING MACHINE

ELECTROMAGNETIC  
HIGH PRECISION IMPACT  
SOUND GENERATOR

7), DIN 52210, BS 5821, ASTM E 492  
Following directives: 99/05/CEE, ROHS2

0-60 Hz 125 W  
(battery pack) | Remote control:  
433,92 MHz

S LINE - Massa Finalese (MODENA)



Sources Line  
13 Albergo street - 41035  
Massa Finalese  
(MODENA)

[www.sourcesline.com](http://www.sourcesline.com)

# EOS

▶ MORE PRECISION

▶ MORE EFFICIENCY

[www.acsoft.co.uk](http://www.acsoft.co.uk)  
[sales@acsoft.co.uk](mailto:sales@acsoft.co.uk)  
01234 639550






INCLINED  
CONTROL  
PANEL



ROUNDED  
FEET

SIZE



WEIGHT





= 10,6 Kg



+  = 12 Kg




+  +  = 12,5 Kg

www.acsoft.co.uk  
sales@acsoft.co.uk  
01234 639550

**AcSoft**  
sound & vibration

INPUT VOLTAGE  
100-240 V ~

PCB WITH  
PROGRAMMABLE  
MICROPROCESSOR



NEW SWITCHING  
POWER SUPPLIES



BATTERY IN  
CONTINUOUS  
WORK

PROFESSIONAL  
BATTERY  
CONNECTOR



[www.acsoft.co.uk](http://www.acsoft.co.uk)  
[sales@acsoft.co.uk](mailto:sales@acsoft.co.uk)  
01234 639550

**AcSoft**  
sound & vibration

PRACTICAL  
INSPECTION  
DOOR



www.acsoft.co.uk  
sales@acsoft.co.uk  
01234 639550

